

**APPLICATION DIRECTIONS:** Use Rozol Pellets as an alternative to Chlorophacinone Treated Artichoke Bracts only during the period from October through March if artichoke bracts are not available. Place about 3 to 5 grams of bait (approximately 1 level tablespoon) per artichoke plant, on bare ground in infested areas. Apply bait near vole burrow openings or runways located between artichoke plants. Be careful to place bait so that it does not directly contact any part of the artichoke plant. If necessary, make second and third applications at 21 day intervals. Do not exceed three applications in made at minimum 21 day intervals per regimen. Repeat the treatment regimen after 60 days if needed. Do not exceed 3 applications at minimum 21 day intervals. Do not apply this product by any method not specified on this label. Do not broadcast bait. To reduce the potential for exposure to nontarget animals and birds, do not apply this bait for a period of 30 days before or after chopping or cut-back of artichoke plants.

**ENDANGERED SPECIES CONSIDERATIONS: NOTICE:** It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered or threatened species. Before applying this product, applicators must obtain information regarding the occurrence of endangered species and use limitations for this product. In California, contact your County Agricultural Commissioner or refer to the Department of Pesticide Regulation's PRESCRIBE Internet Database: <http://www.cdpr.ca.gov/docs/endspec/precint.htm>.

**USE RESTRICTIONS:** To be used only for control of California voles (*Microtus californicus*) in artichoke fields. If you do not know the identity of the species to be controlled or need additional information on product use, consult your local County Agricultural Commissioner's office. Do not use this product on sites not identified on this label, or to control species not claimed on this label. Do not apply this product by any method not specified on this label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Keep all other persons out of the treatment area during application. Do not apply this bait when rain is likely within 24 hours. Do not apply on roads, in water or in areas accessible to farm or ranch animals.

**RESTRICTED USE PESTICIDE  
DUE TO TOXICITY TO NONTARGET ORGANISMS**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certificate.

**24(c) SUPPLEMENTAL LABEL  
FOR DISTRIBUTION AND USE  
ONLY WITHIN THE STATE OF CALIFORNIA**

**FOR CONTROL OF CALIFORNIA VOLES  
(*Microtus californicus*)  
IN ARTICHOKE FIELDS**

**rozol®  
PELLETS**

Active Ingredient: chlorophacinone . . . 0.005%  
Inert Ingredients . . . . . 99.995%  
Total . . . . . 100.000%

**USER SAFETY REQUIREMENTS:** All handlers, including loaders and applicators, must wear long sleeve shirt and long pants, shoes plus socks, and gloves. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should remove PPE immediately after handling this product. Wash the outsides of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Persons who retrieve carcasses or unused bait following application of this product must wear gloves.

For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents) call the Nation Pesticide Information Center at 1-800-858-7378. Note to physician: If ingested, administer Vitamin K1 intramuscularly or orally as indicated in bishydroxycoumarin overdose. Repeat as necessary based on monitoring of prothrombin times. Note to veterinarian: Contain chlorophacinone, an anticoagulant with a half-life in the dog of unknown days. For dogs that have ingested or that are suspected of having ingested chlorophacinone, and/or have obvious poisoning symptoms such as bleeding or have prolonged prothrombin times, give Vitamin K1 by intramuscular injection. For anticoagulants with long half-lives, if known, it might be necessary to check prothrombin times every 3 days until values return to normal. See "Note to physician" for additional information.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

**STORAGE AND DISPOSAL:** Store product not in use in a location out of reach of children and pets. Dispose of empty container and unused, spoiled or unconsumed bait as specified in the "Storage and Disposal" section of the label. This labeling must be in the possession of the user at the time of pesticide application. (13209)

24(c) registrant:

**LIPHATECH®**

Liphatech, Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209  
(414) 351-1476